Retreat


DECK
NOT PROVIDED BY ICON
PANELIZED VAULT
BEDROOM #1
142.08 SQ.FT. OF ROOM
11.37 LIGHT REQ'D
5.68 VENT REQ'D
21.60 LIGHT PROV'D
11.52 VENT PROV'D
SUFFICIENT LIGHT AND VENT PROV'D
BATH #2
BATH #1
SHOWER DOOR
3" RADON VENT
2" FUTURE VENT
UTILITY
STACK W/D
NOT PROVIDED BY ICON
PINE SHELF
KITCHEN
DINING ROOM
VAULTED
PANEL BACKER 36" BARTOP
CEILING LINE
RIDGE BEAM
386.38 SQ.FT. OF ROOM
30.91 LIGHT REQ'D
15.46 VENT REQ'D
88.26 LIGHT PROV'D
56.66 VENT PROV'D
SUFFICIENT LIGHT AND VENT PROV'D
COMBINING LIVING AND DINING ROOMS
ATTIC ACCESS 30" X 30"
BEDROOM #2
123.78 SQ.FT. OF ROOM
9.90 LIGHT REQ'D
4.95 VENT REQ'D
21.60 LIGHT PROV'D
11.52 VENT PROV'D
SUFFICIENT LIGHT AND VENT PROV'D
BEDROOM #3
116.09 SQ.FT. OF ROOM
9.29 LIGHT REQ'D
4.64 VENT REQ'D
21.60 LIGHT PROV'D
11.52 VENT PROV'D
SUFFICIENT LIGHT AND VENT PROV'D
PAN.
DOUBLE SHELVES
W.I.C.
LIVING ROOM
VAULTED
NAPOLEON FIREPLACE MODEL# B36 W/HEARTH & SURROUND
WASHINGTON MANTEL W/LEDS
FIREPLACE TO BE VENTED 1 HOUR WALL OUT THRU EXT. WALL
THRUST BEAM
PORCH ROOF BY ICON POST, RAILING AND SLAB NOT PROVIDED BY ICON
PANELIZED VAULT
B' MODULE
'A' MODULE


J-BOX FOR RADON PUMP
T.K. 900 WATT
TO BSMT
TIMER
TO J-BOX IN ATTIC
COIL WIRE IN CEILING FOR ON-SITE PORCH LIGHT